

PRIFYSGOL CYMRU; UNIVERSITY OF WALES

DEGREE EXAMINATIONS JANUARY 2003

SWANSEA

Computer Science

CS 216 Theory of Programming Languages

Attempt 2 questions out of 3

Time allowed: 2 hours

Students are permitted to use the dictionaries provided by the University

Students are NOT permitted to use calculators

January 2003

CS _216. THEORY OF PROGRAMMING LANGUAGES

Attempt TWO of the following three questions

Question 1

(a) Define carefully the mathematical concepts of a

(i) *many sorted signature* Σ .

(ii) *many sorted Σ algebra* A

What aspects of a data type do these two concepts model?

(6 marks)

(b) What is an axiomatic specification for a data type and what is its purpose?

Give Dedekind's axiomatic specification (Σ_D, T_D) of the natural numbers. Explain how it specifies the abstract data type of natural numbers.

(8 marks)

(c) Define the axiomatic specification (Σ_R, T_R) of a *commutative ring*. Give an example of a finite algebra that satisfies the axioms of a commutative ring.

(7 marks)

(d) Which of the following properties can or cannot be proved from the axioms of a commutative ring?

(i) $(\forall x, y)[(x-1)(x-2) = x^2 - 3x + 2]$

(ii) $(\forall x, y)[x \cdot y = 0 \text{ implies } x=0 \text{ or } y=0]$

Give reasons for your answer.

(4 marks)

Question 2

(a) Let A and B be Σ -algebras. Define carefully the concept of a

(i) Σ -homomorphism $\phi: A \rightarrow B$ and

(ii) Σ -isomorphism $\phi: A \rightarrow B$.

What are these concepts used for in the theory of abstract data types?

(6 marks)

(b) Let \mathbf{Z} be the set of integers and let $(\mathbf{Z}, 0, +)$ be the algebra of integer addition. Which of the following functions $f: (\mathbf{Z}, 0, +) \rightarrow (\mathbf{Z}, 0, +)$ is a homomorphism? Give reasons for your answer.

(i) $f(x) = 5x$

(ii) $f(x) = 5 + x$

(iii) $f(x) = 0$

(6 marks)

(c) Consider the following signature which models a data storage medium:

signature Storage;
sorts state, address, data;
operations in: data \times address \times state \rightarrow state;
 out: address \times state \rightarrow data

endsig

Let M and N be two Σ_{Storage} algebras modelling two storage systems. Let $\Phi: M \rightarrow N$ be a Σ_{Storage} homomorphism. Write down the two homomorphism equations for Φ .

(4 marks)

(d) What makes data digital and hence representable by a digital computer? Show how to model the idea of a digital data type using a homomorphism.

(9 marks)

Question 3

- (a) What is a *formal language* L ? Define the *recognition problem* for the language L . Define the mathematical concept of a *grammar* G and how it defines a formal language $L(G)$.

(6 marks)

- (b) The language of all signatures with **import** is a hierarchical and modular interface definition language for data types. Give a grammar that defines the language of all signatures with **import**.

(6 marks)

- (c) The language of signatures *with* **import** is an example of a complex extension to the simpler kernel language of the language of all signatures (*without* **import**). *Sketch briefly* how *flattening* may be used to define a semantics for the interface definition language.

(4 marks)

- (d) *Sketch briefly* how to define the input-output semantics of the **while** language over all signatures with **import**.

(9 marks)